





THATCHER COMPANY MATERIAL SAFETY DATA SHEET  
PRODUCT: FP ACIDSAN ACID SANITIZER  
Page 2 of 3

---

**SPECIAL FIRE-FIGHTING PROCEDURES:**

None. Avoid exposure of skin and eyes to contact with liquid or vapor.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

None.

**SECTION V - REACTIVITY DATA**

**STABILITY:** Stable

**HAZARDOUS POLYMERIZATION:**

Will not occur

**CONDITIONS OR MATERIALS TO AVOID:**

Will react strongly with alkaline materials, most metals, wood and similar organic materials.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

None known.

**SECTION VI - HEALTH HAZARD DATA**

**NFPA HAZARDOUS RATING:** Health = 3 Flammability = 0 Reactivity = 0

**Carcinogenic Listing:**

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section

**ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:**

**Contact:** Can cause severe burns to the skin and eyes.

**Inhalation:** Vapor irritating.

**Ingestion:** Can cause irritation to the gastrointestinal tract. May be fatal if swallowed.

**STATEMENT OF PRACTICAL TREATMENT:**

**Contact:** Immediately flush with large amounts of water. For eyes, flush for at least 15 minutes and get medical attention.

**Inhalation:** Get into fresh air.

**Ingestion:** If conscious, give several glasses of milk or water and call a physician immediately. DO NOT induce vomiting.



THATCHER COMPANY MATERIAL SAFETY DATA SHEET  
PRODUCT: FP ACIDSAN ACID SANITIZER  
Page 3 of 3

---

**SECTION VII - SPECIAL PRECAUTIONS**

**HANDLING AND STORAGE PRECAUTIONS:**

Store in a cool, well-ventilated area. Avoid contact with skin or eyes. Do not breathe vapor. Wear proper protective clothing when handling.

**STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:**

Wearing safety equipment, dike the liquid and recover into drums, if possible. Neutralize residue with soda ash and flush to sewer if permitted.

**WASTE DISPOSAL METHOD:**

Waste product is an EPA Hazardous Waste (D002) due to corrosivity. Comply with all local, state and federal regulations.

**OTHER PRECAUTIONS:**

Avoid contact with incompatible materials.

**SECTION VIII - SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:**

None normally required.

**VENTILATION:**

Work with adequate ventilation.

**EYE PROTECTION:**

Wear goggles.

**SKIN PROTECTION:**

Wear rubber gloves.

**OTHER PROTECTIVE EQUIPMENT:**

Wear protective clothes as needed to prevent contact with skin and eyes.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.